AMENDMENT TO THE CLAIMS

1. (Currently Amended) A method of displaying an image on a computer screen, the method comprising:

describing at least a portion of a base image as a path ~~comprising a function of at least one variable~~, the path representing multiple pixels;

performing a bilinear ~~non-affine~~ transform on the path instead of the multiple pixels represented by the path to produce a transformed path ~~by performing the non-affine transform on the function including the variable~~; and

rendering the transformed path onto the computer screen.

2. (Cancelled)

3. (Original) The method of claim 1~~2~~ wherein describing the portion of the base image as a path comprises describing the portion using a function of order n.

4. (Original) The method of claim 3 wherein performing a bilinear transform produces a transformed function of order 2n.

5. (Original) The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order one.

6. (Original) The method of claim 3 wherein describing the portion of the base image as a path comprises describing the portion as a function of order three.

7. (Cancelled)

8. (Cancelled)

9. (Original) The method of claim 1 wherein rendering the transformed path comprises approximating the transformed path as a series of lines and rendering each line in the series of lines.

10. (Canceled)

11. (Currently Amended) The method of claim 39~~10~~ wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} B_i^n(t)\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} B_j^n(t)\tilde{\mathbf{q}}_j$ that describes a larger segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=0}^{j} B_i^j(d)\mathbf{q}_i$ where d is a fixed value that is greater than one; and

determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.

12. (Currently Amended) The method of claim 39~~10~~ wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} B_i^n(t)\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} B_j^n(t)\tilde{\mathbf{q}}_j$ that describes a neighboring

segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=n-j}^{n} (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i$; and

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

13. (Cancelled)

14. (Currently Amended) The method of claim 40~~13~~ wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} \mathbf{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes a larger segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = d^j \boldsymbol{a}_j$ where d is a fixed value that is greater than one; and

determining if the larger segment of the curve can be replaced by a straight line based on the function that describes the segment.

15. (Currently Amended) The method of claim 40~~13~~ wherein approximating the transformed path as a series of lines further comprises:

converting a function of the form $\sum_{i=0}^{n} \boldsymbol{a}_i t^i$ that describes a segment of the curve into a function of the form

$\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes a neighboring segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$; and

determining if the neighboring segment of the curve can be replaced by a straight line based on the function that describes the segment.

16. (Cancelled)

17. (Currently Amended) The method of claim 41~~16~~ wherein issuing a call to a server process further comprises passing parameters further comprising corner points for a quadrilateral that defines a transform space.

18. (Original) The method of claim 17 wherein issuing a call to a server process further comprises passing parameters further comprising a pen style to be used during rendering.

19. (Original) The method of claim 17 wherein passing a path comprises passing a list of paths.

20. (Original) The method of claim 19 wherein issuing a call to a server process further comprises passing parameters further comprising a brush style for filling a space between at least two rendered transformed paths.

21. (Currently Amended) A computer-readable medium having computer-executable components for performing steps comprising:

generating a function ~~of a variable~~ to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a ~~non-affine~~bilinear transform ~~applied to the entire function including the variable~~ to produce a transformed function; and

converting the transformed function into an image on the computer screen.

22. (Original) The computer-readable medium of claim 21 wherein transforming the function comprises transforming a function representing a smooth curve.

23. (Canceled)

24. (Currently Amended) The computer-readable medium of claim 21~~23~~ wherein generating a function to describe an image comprises generating a function of order n and wherein transforming the function produces a transformed function of order 2n.

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Cancelled)

31. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\tilde{\mathbf{q}}_j$ that describes a different sized segment of the curve by setting each $\tilde{\mathbf{q}}_j=\sum_{i=0}^{j}\frac{j!}{i!(j-i)!}c^{i}(1-c)^{j-i}\mathbf{q}_i$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

32. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^{i}(1-t)^{n-i}\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^{j}(1-t)^{n-j}\tilde{\mathbf{q}}_j$ that describes an adjacent segment of the curve by setting each $\tilde{\mathbf{q}}_j=\sum_{i=n-j}^{n}(-1)^{n-i}\binom{j}{n-i}2^{j-(n-i)}\mathbf{q}_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

33. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n} \mathbf{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes a different sized segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = c^j \boldsymbol{a}_j$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

34. (Original) A method for rendering a curve on a computer screen comprising:

converting a function of the form $\sum_{i=0}^{n} \boldsymbol{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes an adjacent segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} \boldsymbol{a}_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

35. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^i(1-t)^{n-i}\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^j(1-t)^{n-j}\tilde{\mathbf{q}}_j$ that describes a different sized segment of the curve by setting each $\tilde{\mathbf{q}}_j=\sum_{i=0}^{j}\frac{j!}{i!(j-i)!}c^i(1-c)^{j-i}\mathbf{q}_i$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

36. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n}\frac{n!}{i!(n-i)!}t^i(1-t)^{n-i}\mathbf{q}_i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n}\frac{n!}{j!(n-j)!}t^j(1-t)^{n-j}\tilde{\mathbf{q}}_j$ that describes an adjacent segment of the curve by setting each $\tilde{\mathbf{q}}_j=\sum_{i=n-j}^{n}(-1)^{n-i}\binom{j}{n-i}2^{j-(n-i)}\mathbf{q}_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

37. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n} \mathbf{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes a different sized segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = c^j \boldsymbol{a}_j$ where c is a fixed value that determines the segment size;

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

38. (Original) A computer-readable medium having computer-executable components for performing steps comprising:

converting a function of the form $\sum_{i=0}^{n} \boldsymbol{a}_i t^i$ that describes a segment of the curve into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes an adjacent segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} \boldsymbol{a}_i$;

determining if the adjacent segment of the curve can be replaced by a straight line based on the function that describes the segment; and

rendering the straight line onto the computer screen if the straight line replaced the segment.

39. (New) A method of displaying an image on a computer screen, the method comprising:

describing at least a portion of a base image as a path, the path representing multiple pixels;

performing a non-affine transform on the path instead of the multiple pixels represented by the path to produce a transformed path of the form $\sum_{i=0}^{n} B_i^n(t)\mathbf{q}_i$ where t is between zero and one; and

rendering the transformed path onto the computer screen by approximating the transformed path as a series of lines, wherein approximating the transformed path as a series of lines comprises:

converting the transformed path from a function that describes an entire curve to a function of the form $\sum_{j=0}^{n} B_j^n(t)\tilde{\mathbf{q}}_j$ that describes a segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=0}^{j} B_i^j(c)\mathbf{q}_i$ where c is a fixed fraction; and

determining if the segment of the curve can be replaced by a straight line based on the function that describes the segment.

40. (New) A method of displaying an image on a computer screen, the method comprising:

describing at least a portion of a base image as a path, the path representing multiple pixels;

performing a non-affine transform on the path instead of the multiple pixels represented by the path to produce a transformed path of the form $\mathbf{r} = \sum_{i=0}^{n} \mathbf{a}_i t^i$ where t is between zero and one ; and

rendering the transformed path onto the computer screen by approximating the transformed path as a series of lines and rendering each line in the series of lines, wherein approximating the transformed path as a series of lines comprises:

converting the transformed path from a function that describes an entire curve to a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes a segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = c^j \boldsymbol{a}_j$ where c is a fixed fraction; and

determining if the segment of the curve can be replaced by a straight line based on the function that describes the segment.

41. (New) A method of displaying an image on a computer screen, the method comprising:

describing at least a portion of a base image as a path, the path representing multiple pixels;

performing a non-affine transform on the path instead of the multiple pixels represented by the path to produce a transformed path; and

rendering the transformed path onto the computer screen;

wherein performing a non-affine transform and rendering the transformed path comprise:

issuing a call to a server process while passing parameters comprising the path of the base image and a type of non-affine transform; and

processing the call in the server process by performing the transform and rendering the transformed path.

42. (New) A computer-readable medium having computer-executable components for performing steps comprising:

generating a function to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a non-affine transform to produce a transformed function; and

converting the transformed function into a series of lines and converting each line into an image, wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n} \frac{n!}{i!(n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n} \frac{n!}{j!(n-j)!} t^j (1-t)^{n-j} \tilde{\mathbf{q}}_j$ that describes a different sized segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=0}^{j} \frac{j!}{i!(j-i)!} c^i (1-c)^{j-i} \mathbf{q}_i$ where c is a fixed value; and

determining if the different sized segment of the curve can be replaced by a straight line

based on the function that describes the segment.

43. (New) A computer-readable medium having computer-executable components for performing steps comprising:

generating a function to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a non-affine transform to produce a transformed function; and

converting the transformed function into a series of lines and converting each line into an image, wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n} \frac{n!}{i!(n-i)!} t^i (1-t)^{n-i} \mathbf{q}_i$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n} \frac{n!}{j!(n-j)!} t^j (1-t)^{n-j} \tilde{\mathbf{q}}_j$ that describes an adjoining segment of the curve by setting each $\tilde{\mathbf{q}}_j = \sum_{i=n-j}^{n} (-1)^{n-i} \binom{j}{n-i} 2^{j-(n-i)} \mathbf{q}_i$; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment.

44. (New) A computer-readable medium having computer-executable components for performing steps comprising:

generating a function to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a non-affine transform to produce a transformed function; and

converting the transformed function into a series of lines and converting each line into an image, wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n} \mathbf{a}_i t^i$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n} \tilde{\boldsymbol{a}}_j t^j$ that describes a different sized segment of the curve by setting each $\tilde{\boldsymbol{a}}_j = c^j \boldsymbol{a}_j$ where c is a fixed value; and

determining if the different sized segment of the curve can be replaced by a straight line based on the function that describes the segment.

45. (New) A computer-readable medium having computer-executable components for performing steps comprising:

generating a function to describe multiple pixels of an image for a computer screen;

transforming the function instead of the multiple pixels using a non-affine transform to produce a transformed function; and

converting the transformed function into a series of lines and converting each line into an image, wherein converting the transformed function into a series of lines comprises:

converting a function of the form $\sum_{i=0}^{n} a_i t^i$ that describes a segment of a curve represented by the transform function into a function of the form $\sum_{j=0}^{n} \tilde{a}_j t^j$ that describes an adjoining segment of the curve by setting each $\tilde{a}_j = \sum_{i=j}^{n} \frac{i!}{j!(i-j)!} a_i$; and

determining if the adjoining segment of the curve can be replaced by a straight line based on the function that describes the segment.